


PIRH2 Rabbit anti-Human Polyclonal (N-Terminus) (Unconjugated) Antibody - LS-C110735 - LSBio	
CatalogID:	LS-C110735
Target:	ring finger and CHY zinc finger domain containing 1 (RCHY1)
Synonyms:	RCHY1 Antibody, ARNIP Antibody, CHIMP Antibody, HARNIP Antibody, HPirh2 Antibody, PIRH2E Antibody, PIRH2 Antibody, PIRH2F Antibody, PRO1996 Antibody, RING finger protein 199 Antibody, Zinc finger protein 363 Antibody, ZNF363 Antibody, p53-induced RING-H2 protein Antibody, RNF199 Antibody
Host	RCHY1 antibody was produced in Rabbit
Clonality:	Polyclonal
Modifications:	Unconjugated (Unconjugated)
Immunogen Species:	PIRH2 antibody was raised against Human
Immunogen:	PIRH2 antibody was raised against synthetic peptide from N-terminus of human RCHY1 (NP_001008925.1). Percent identity by BLAST analysis: Human, Sheep, Bovine, Rabbit, Horse (100%); Mouse (92%); Rat (85%).
Specificity:	Human RCHY1 / PIRH2
Epitope:	N-Terminus
Reactivity:	Human, Bovine, Mouse, Pig, Rat
Predicted Reactivity:	Panda, Sheep
Purification:	Immunoaffinity Chromatography
Reconstitution:	Distilled water
Presentation:	Lyophilized from PBS with 2% sucrose
Recommended Storage:	Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.
Usage Summary:	Western Blot: Suggested dilution at 1 ug/ml in 5% skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Uses:	Western blot (0.2 - 1 µg/ml) (Optimal dilution to be determined by the researcher)
Size:	50 µg

Western Blot Image:



RCHY1 / PIRH2 antibody LS-C110735 Western Blot analysis of Jurkat lysate.

Requested From:

United States

Laboratory Reagent For In Vitro Research Use Only

Not for resale without prior written consent from LifeSpan BioSciences, Inc.

Created on 5/23/2013

© 2013 LifeSpan BioSciences